



Please read the entire document. This Material Safety Data Sheet contains important environmental, health and toxicology information for your employees, and anyone who will use, transport, store, dispose of or handle this product. Please make sure this information is given to them. It also contains information to help you meet community right-to-know/emergency response reporting requirements under SARA Title III and many other laws. If you resell this product, this MSDS must be given to the buyer or the information contained herein must be incorporated in your MSDS.

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ALOFT™ LC G INSECTICIDE
EPA REGISTRATION NUMBER(S): 66330-368
SYNONYM(S): ARY044416 G, Clothianidin – Bifenthrin G

COMPANY
Arysta LifeScience North America Corporation 15401 Weston Parkway, Suite 150 Cary, NC 27513

EMERGENCY TELEPHONE NUMBERS	
HEALTH EMERGENCY:	SPILL EMERGENCY:
1-866-303-6952, or 1-651-632-8946	1-800-424-9300, or 1-703-527-3887

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

Active Ingredient(s)/ Hazardous Inert Ingredient(s)	CAS #	Exposure Limits	% Weight	% Volume
Bifenthrin: 2-methylbiphenyl-3-ylmethyl (Z)- (1RS,3RS)-3-(2-chloro-3,3,3- trifluoroprop-1-enyl)2,2- dimethylcyclopropanecarboxylate	82657-04-3	TWA^a OSHA PEL ^b : None ACGIH TLV ^c : None NIOSH REL ^d : None	0.125	NA
Clothianidin: (E)-1-(2-chloro-1,3-thiazol-5- ylmethyl)-3-methyl-2- nitroguanidine	210880-92-5	TWA^a OSHA PEL ^b : None ACGIH TLV ^c : None NIOSH REL ^d : None	0.25	NA

Only the identities of the active ingredient(s) and any hazardous inert ingredients are listed. Specific information on all of this product's ingredients can be obtained by the treating medical professional or spill emergency responder for the management of exposures, spills, or safety assessments.

*Source: *Guide to Occupational Exposure Values 2000*, published by ACGIH

^a**TWA**: Time-weighted average exposure concentration for a conventional 8-hour (TLV, PEL) or up to a 10-hour (REL) workday and a 40-hour workweek.

^b**OSHA PEL**: Occupational Safety and Health Administration Permissible Exposure Limits.

^c**ACGIH TLV**: American Conference of Governmental Industrial Hygienists, Inc., Threshold Limit Values.

^d**NIOSH REL**: National Institute for Occupational Safety and Health Recommended Exposure Limits.

SECTION 3: HAZARDS IDENTIFICATION**EMERGENCY OVERVIEW**

CAUTION:	-	CAUSES MODERATE EYE IRRITATION
	-	WEAR PROTECTIVE EYEWEAR
	-	WEAR: LONG-SLEEVED SHIRT AND LONG PANTS, SOCKS, SHOES, AND CHEMICAL-RESISTANT GLOVES
	-	AVOID CONTACT WITH EYES OR CLOTHING

Acute Health Hazards

Eye: Moderate eye irritation can be expected. The degree of injury will depend upon the amount and duration of contact, and the speed and thoroughness of the first aid treatment.

Skin: Slight skin irritation can be expected. The degree of irritation will depend upon the speed and thoroughness of the first aid treatment. The product is a potential skin sensitizer.

Ingestion: This product is harmful if ingested. The degree of injury will depend upon the amount and duration of exposure, and the speed and thoroughness of the first aid received.

Inhalation: Short-term inhalation is not expected to be toxic. The degree of irritation will depend upon the amount and duration of exposure, and the speed and thoroughness of the first aid treatment received.

Chronic Health Hazards (Including Cancer): Clothianidin is classified as a “not likely” human carcinogen. The EPA has classified Bifenthrin as a class C carcinogen, a possible human carcinogen.

Teratology (Birth Defects) Information: Bifenthrin did not demonstrate any teratogenic effects in a two-generational study in rats.

Mutagenicity: The active ingredient Clothianidin has shown no mutagenic activity in laboratory studies on animals. Evidence of mutagenic effects from exposure to Bifenthrin is inconclusive.

SECTION 4: FIRST AID MEASURES

Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin: Take off contaminated clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco. Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Inhalation: Move person to fresh air. If person is not breathing, call 9-1-1 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice.

Note to Physician: Treatment is symptomatic and supportive. Contact with Bifenthrin may produce skin sensations such as numbing, burning, and tingling that are reversible and usually subside in 12 hours. If significant quantities have been swallowed, promptly eliminate the ingested quantities from the stomach and intestines. Alcohol, milk, cream, and other digestible fats and oils should NOT be administered as they may increase absorption.

SECTION 5: FIRE FIGHTING MEASURES

Flammable Limits in Air (% by volume):		
	Upper:	NA
	Lower:	NA
Flash Point:		NDA
	Method Used:	NA
Autoignition Temperature:		NDA
LEL/UEL:		NDA
NFPA Hazard Classification:		
	Health:	1
	Flammability:	0
	Reactivity:	0
	Other:	None
Extinguishing Media:		Chemical foam, dry chemical and CO ₂ are suitable
Special Fire Fighting Procedures:		For small fires, use foam, CO ₂ , or dry powder extinguishant. For large fires, use foam or water-fog. Avoid use of water jet. Contain run-off water with temporary earthen barriers. An SCBA and suitable protective clothing should be worn in fire conditions.
Hazardous Combustion Products:		In the event of fire, may emit toxic gases.

SECTION 6: ACCIDENTAL RELEASE MEASURES

EMERGENCY PHONE NUMBERS

Exposure Calls (PROSAR): 1-866-303-6952 or 1-651-632-8946 (International)

Spill Calls (CHEMTREC): 1-800-424-9300 or 1-703-527-3887

Sweep together material and place into containers for later disposal. Keep unnecessary people away. Isolate hazard area and deny entry. Wear personal protective equipment (clothing, appropriate respirator, boots, etc.)

SECTION 7: HANDLING AND STORAGE

Read and observe all precautions on product label. It is a violation of federal law to use this product in a manner inconsistent with its labeling. Read entire label. Use strictly in accordance with label precautionary statements and directions. Use in a well ventilated area. Avoid contact with skin and eyes. Do not breathe dust. Store in well ventilated area. Keep container tightly closed. Keep from sunlight. Do not store or consume food, drink, or tobacco in areas where they may become contaminated with this product. Stable at normal temperatures and storage conditions on closed original package.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection: Wear suitable eye protection such as chemical goggles.

Respiratory/Ventilation Requirements: NDA

Skin Protection: Rubber gloves, cap, coveralls, apron, protective eyewear, and boots as necessary to protect skin.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Gray granule
Odor:	No appreciable odor
Physical State:	Granule
pH:	7.0 – 8.0
Boiling Point:	NA
Melting Point:	NDA
Freezing Point:	NDA
Vapor Pressure:	NA
Vapor Density:	NA
Bulk Density:	NDA
Specific Gravity:	Approximately 0.5 g/ml
Evaporation Rate:	NDA
Solubility in Water:	Practically insoluble
Percent Solids by Weight:	NDA
Partition Coefficient:	NDA
Percent Volatile:	Negligible
Volatile Organic Compounds:	NDA
Molecular Weight:	249.7 (Clothianidin); 422.9 (Bifenthrin)
Viscosity:	NA

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability:	Stable, however may decompose if heated.
Storage Stability:	NDA
Hazardous Polymerization:	Product will not undergo polymerization
Flash Point:	NA
Flammable Point:	NDA
Auto Ignition:	NDA
Dust Explodability:	NDA
Incompatibility With Other Materials:	NDA
Hazardous Decomposition Products:	NDA

SECTION 11: TOXICOLOGICAL INFORMATION

Acute:

Eye Irritation: Slight irritation

Skin Irritation: Slight irritation

Skin Sensitization: Not a contact sensitizer

Dermal Toxicity: LD₅₀ (rats) > 5,000 mg/kg

Oral Toxicity: LD₅₀ (female rat) = > 5,000 mg/kg

Inhalation Toxicity: LC₅₀ (female and male rats, 4-hour) = > 2.05 mg/L

Chronic Health Hazards (Including Cancer): Clothianidin is classified as a “not likely” human carcinogen. The EPA has classified Bifenthrin as a class C carcinogen, a possible human carcinogen.

Teratology (Birth Defects) Information: Bifenthrin did not demonstrate any teratogenic effects in a two-

generational study in rats.

Mutagenicity: The active ingredient Clothianidin has shown no mutagenic activity in laboratory studies on animals. Evidence of mutagenic effects from exposure to Bifenthrin is inconclusive.

SECTION 12: ECOLOGICAL INFORMATION

Environmental Summary:

This product is extremely toxic to fish and aquatic invertebrates. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not apply where runoff is likely to occur. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

Avian Toxicity:

Clothianidin

Northern bobwhite (<i>C. virginianus</i>)	Oral LD ₅₀ > 2,000 mg a.i./kg b.w.
Japanese quail (<i>C. coturnix japonica</i>)	Oral LD ₅₀ = 430 mg a.i./kg b.w.
Northern bobwhite (<i>C. virginianus</i>)	Diet LC ₅₀ > 5,230 ppm diet
Mallard duck (<i>A. platyrhinchus</i>)	Diet LC ₅₀ > 5,040 ppm diet

Bifenthrin

Northern bobwhite (<i>C. virginianus</i>)	Oral LD ₅₀ = 1,800 mg a.i./kg b.w.
Mallard duck (<i>A. platyrhinchus</i>)	Oral LD ₅₀ = 2,150 mg a.i./kg b.w.

Aquatic Organism Toxicity:

Clothianidin

Water flea (<i>D. magna</i>)	48 hr EC ₅₀ = 100.8 – 119 ppm
Rainbow Trout	96 hr LC ₅₀ = 105 ppm
Bluegill Sunfish	96 hr LC ₅₀ = 117 ppm

Bifenthrin

Water flea (<i>D. magna</i>)	48 hr EC ₅₀ = 0.0016 mg a.i./L
Rainbow Trout	96 hr LC ₅₀ = 0.00015 mg a.i./L
Bluegill Sunfish	96 hr LC ₅₀ = 0.00035 mg a.i./L

Other Non-Target Organism Toxicity:

Clothianidin

Earthworm (<i>E. fetida</i>)	7 day LC ₅₀ = 19 mg a.i./kg dry soil
Honeybee (<i>A. mellifera</i> L.)	48 hr contact LD ₅₀ = 0.044 mg a.i./bee

Bifenthrin

Honeybee (<i>A. mellifera</i> L.)	48 hr contact LD ₅₀ = 0.01462 ug/bee
Honeybee (<i>A. mellifera</i> L.)	48 hr oral LD ₅₀ = 0.1 micrograms a.i./bee

SECTION 13: DISPOSAL CONSIDERATIONS

End users must dispose of any unused product as per the label recommendations and in accordance with all applicable laws and regulations. Check governmental regulations and local authorities for approved disposal of this material.

SECTION 14: TRANSPORT INFORMATION

D.O.T. Shipping Name:	NA (Pesticide, non-regulated)
Technical Shipping Name:	NA
Packing Group:	NA
D.O.T. Hazard Class:	NA
U.N/N.A. Number:	NA
Product RQ (lbs):	NA
D.O.T. Label:	NA
D.O.T. Placard:	NA
Marine Pollutant:	NDA
IMO:	
IMO Label:	NA
IMO Placard:	NA
European Road/Rail:	
Class:	NA

SECTION 15: REGULATORY INFORMATION

U.S Federal Regulations

FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act): All pesticides are governed under FIFRA. Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

CERCLA (Comprehensive Response Compensation, and Liability Act): NA

EPCRA (Emergency Planning and Community Right-to-Know Act) Section 313: Yes

OSHA (Occupational Safety and Health Administration): This product is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29 CFR 1910.1200.

RCRA (Resource Conservation and Recovery Act): NA

SARA Title III (SUPERFUND Amendments and Reauthorization Act):

Section 302 (EHS) TPQ: NONE

Section 304 (EHS) RQ: NONE

Section 311/312 CATEGORIES

1. Immediate (Acute) Health Effects; **YES**
2. Delayed (Chronic) Health Effect; **NO**
3. Fire Hazard; **NO**
4. Sudden Release of Pressure Hazard; **NO**
5. Reactivity Hazard; **NO**

TSCA (Toxic Substance Control Act): This product is exempt from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

State Regulations: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities.

International Regulations:**Classification:** NDA**Risk Phrases:** NDA**Safety Phrases:** NDA**SECTION 16: OTHER INFORMATION**

Reason for issue:	New MSDS
Prepared by:	Ashley R. Brown
Issue date:	10/22/2007
Supersedes date:	Not Applicable
MSDS number:	00346

The information in this MSDS is based on data available to us as of the issue date given herein, and believed to be correct. Contact Arysta LifeScience North America Corporation at (919) 678-4900 to determine if additional data and information have become available since the issue date.

Judgments as to the suitability of information herein for the individual's own uses or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Arysta LifeScience North America Corporation extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.