

OHP CHIPCO® 26019 N/G & OHP 26 GT®-O



A FUNGICIDE FOR THE PREVENTION AND CONTROL OF CERTAIN
DISEASES OF ORNAMENTALS

Product Information Bulletin 201

GENERAL INFORMATION

OHP Chipco 26019 N/G and **OHP 26 GT-O** are broad spectrum fungicides that may be applied safely to a wide range of ornamental flowering and foliage plants, either as a spray, drench, or dip. **OHP Chipco 26019 N/G** contains 50% active ingredient per pound. **OHP 26 GT-O** contains 2 lbs. active ingredient per gallon. **OHP Chipco 26019 N/G** is a wettable powder formulation and **OHP 26 GT-O** is a liquid formulation.

Common Name: Iprodione

Class: Dicarboxamide

Packaging: **OHP Chipco 26019 N/G** is packaged in 2 lbs. containers. **OHP 26 GT-O** is packaged in one gal. containers.

RESTRICTED ENTRY INTERVAL (REI) AND SIGNAL WORD

REI = **12 hours**

Signal Word = **CAUTION**

PERSONAL PROTECTION EQUIPMENT (PPE)

Mixers, loaders, others exposed to the concentrate, cleaners/repairers of equipment, and applicators applying as a dip treatment must wear:

- Long-sleeve shirt and long pants
- Chemical-resistant gloves
- Chemical-resistant apron
- Chemical-resistant footwear plus socks

Applicators using hand-held equipment:

- Coveralls over long-sleeve shirt and long pants
- Chemical-resistant gloves
- Chemical-resistant footwear plus socks
- Chemical-resistant headgear for overhead exposures
- A dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator with any N, R, P, or HE filter

MODE OF ACTION

OHP Chipco 26019 N/G and **OHP 26 GT-O** are contact, curative fungicides which inhibit germination of fungal spores and growth of fungal mycelium.

USE SITES

Both formulations are recommended for use on a wide variety of ornamentals in field or container nurseries, conifer nurseries, greenhouse, and in landscape settings.

DISEASES CONTROLLED

Aerial Web Blight
Alternaria Leaf Blight
Alternaria Leaf Spot
Blossom Blight*
Botrytis sp.
Cylindrocladium Blight and Wilt*
Daffodil Leaf Scorch*
Fusarium Corm Rot
Fusarium Leaf Spot
Helminthosporium Leaf Spot
Ink Spot
Ray Blight
Rhizoctonia
Rhizoctonia Stem and Root Rot
Tulip Fire

* not registered for use in California
(see label for complete list)

APPLICATION RATES

OHP Chipco® 26019 N/G

Foliar spray: apply 1 to 2 lbs. per 100 gallons of water to the point of runoff. Repeat applications may be made every 7 to 14 days.

Surfactant: A resin based surfactant should be added to foliar sprays for use on iris, lilies, and tulips.

Do not apply more than 2.5 lbs. of product per acre per application. Do not make more than four (4) applications per year.

Drench: Apply at seeding and/or after transplanting for Rhizoctonia control at 6.5 oz. per 100 gallons of water. Apply 1 to 2 pints of solution per square foot.

Do not exceed a total of 17.6 oz. of OHP Chipco 26019 N/G Fungicide per 1,000 sq. ft. per year.

Limit individual applications of OHP Chipco 26019 N/G Fungicide to a maximum of 6 per year.

Do not use as a drench on impatiens or pothos. Do not use on Spathiphyllum.

Dip: Dip in a solution of 1 to 2 lbs. of OHP Chipco 26019 N/G Fungicide per 100 gallons of water for five minutes prior to cold storage or planting.

- As a dip, OHP Chipco 26019 N/G Fungicide is labeled for use on Botrytis Storage Rot (*Botrytis* sp.), Cylindrocladium Blight and Wilt *, and Fusarium Corm Rot.
- **Dip application:** not registered in CA for Cylindrocladium Blight and Wilt.

For all treatments, thorough coverage is required for maximum effectiveness.

OHP 26 GT®-O

Foliar spray: apply 1 to 2.5 qts. per 100 gallons of water to the point of run-off.

Drench: Apply at seeding and/or transplanting for Rhizoctonia control at 13 fl. oz. per 100 gal. of water.

Do not exceed a total of 35 fl. oz. of product per 1000 sq. ft. per year.

Limit OHP 26 GT-O to a maximum of 6 applications per year.

Do not use as a drench on impatiens or pothos. Do not use on Spathiphyllum.

Do not apply more than 2.5 qts. of product per acre per application, Do not exceed more than 4 applications per year. Do not exceed a total of 10 qts. of product per acre per year.

Dip: Dip in a solution of 1 to 2 qts. of OHP 26 GT-O per 100 gal. of water for five minutes prior to cold storage.

Intervals: As a foliar spray, repeat applications of OHP 26 GT-O may be made every 7 to 14 days. Drench applications may be made every 14 days.

TANK MIXING

For additional disease control, the label dosage of tank mix partners should not be exceeded. Do not mix OHP Chipco 26019 N/G or OHP 26 GT-O with any product labeled against such usage. Both formulations are compatible with most commonly used fungicides.



Read label directions and cautions before use.

26GT and Chipco are registered trademarks of Bayer.

PO Box 230, Mainland, PA 19451
Technical Service: 800-356-4647
www.ohp.com