

Spotrete™ F

FUNGICIDE

Protect Against Rabbit, Deer and Rodent Depredation.

Spotrete™ F offers a different mode-of-action to battle disease resistance management issues.

KEY PERFORMANCE BENEFITS

- Animal repellent
- Tank-mix compatible with most commonly used pesticides
- Preventive and curative action
- Cool- and warm-season turfgrass disease prevention

EPA REG. NO. 45728-26-1001

ACTIVE INGR. thiram (44.0%)

FORMULATION flowable

CHEM. FAMILY dithiocarbamate

FRAC NO. M3

SIGNAL WORD caution

RESTRICTED no

PACKAGE SIZE 2 x 2.5 gal

 COMMERCIAL

 TURF

 LANDSCAPE ORNAMENTALS

 GOLF TURF



Spotrete™ F

FUNGICIDE

KEY USES

Turfgrass

Animal repellency: shrubs, ornamentals

KEY DISEASES CONTROLLED

(See product label for complete list)

Brown patch

Copper spot

Dollar spot

Gray snow mold

Leaf spot

Melting out

Pink snow mold

Red thread

Rust

APPLICATION RECOMMENDATIONS

Spotrete™ F is to be used for the prevention and control of the foliar diseases mentioned in product label. It can provide both curative and protective action against common turf diseases. Start preventive applications when conditions for disease occurrence are favorable and repeat at 14-day intervals until disease threat is past. Start curative applications when disease first appears and repeat at 14-day intervals as necessary. For best results, use spray mixture the same day it is prepared. Apply after mowing or avoid mowing for twelve hours after application.

Spotrete F may be used in a tank mix with other fungicides for control of foliar turf pathogens. This product can be mixed with iprodione, thiophanate-methyl, propiconazole, triadimefon, chlorothalonil, PCNB, myclobutanil, azoxystrobin and mancozeb for use on listed crops and sites in accordance with the most restrictive of label limitations and precautions. No label dosage rates should be reduced or exceeded. This product can not be mixed with any product containing a label prohibition against such mixing. Consult product labels for instructions on use. No claim of compatibility with other pesticides is implied. When tank mixing, read and observe the most restrictive precautionary statements and other information appearing on product labels.

TURF APPLICATIONS

Not for use on residential turf, parks, athletic fields or turf grown for sale or other commercial use such as sod.

Apply Spotrete F with properly calibrated mechanical or motorized spray equipment such as ground boom.

GOLF COURSE TEES AND GREENS

The maximum winter application rate for turf is a single application of 16.3 lbs ai/acre (4.08 gallons) or 0.374 lbs ai/1000 sq ft (12 fl oz).

The maximum summer application rate for turf is 3 applications of 10.2 lbs ai/acre (2.55 gallons) or 0.234 lbs ai/1000 sq ft (7.5 fl oz).

The maximum annual application rate is 47 lbs ai/acre (11.75 gallons) or 1.08 lbs ai/1000 sq ft (34.5 fl oz).

See label for complete application rates and recommendations.



More where it matters most.
www.nufarm.com/us

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/us to download a full label.
©2014 Nufarm. Important: Always read and follow label instructions. Spotrete™ is trademark of Cleary Chemical, LLC. 13-TO-0035