



Ovation[®] SC

A Suspension Concentrate (SC) for Mite Management on Commercial Ornamental Plants in Greenhouses, Saran and Shade Houses, Outdoor Containers, and Field-Grown Nursery Stock
Not For Residential Use

This specimen label is for information only.
Everris makes no representations as to the accuracy of this label. It is the responsibility of the user to read and follow the label attached to the pesticide product container.

NET CONTENTS: 1 pint (16 fl. oz.) (473 ml)
Stock # E95176

ACTIVE INGREDIENT	% BY WT:
Clofentezine: 3,6-bis (2-chlorophenyl) - 1,2,4,5-tetrazine*	42%
INERT INGREDIENTS:	58%
	Total 100%

*Contains 1 pound of active ingredient per quart (32 fl. oz.).

EPA Reg. No. 66222-53-58185
EPA Est. 39578-TX-001ST EPA Est. 37429-GA-001^{BT}
EPA Est. 37429-GA-002^{BO}

Letters in lot number correspond to superscript in EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also call 1-888-241-6409 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category C on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, poly-vinyl chloride (PVC), or Viton[®]
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENGINEERING CONTROLS STATEMENT

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR Part 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

If you have questions regarding the use of this product, call TOLL FREE 1-800-492-8255

Distributed by Everris NA Inc., PO Box 3310 • Dublin, OH 43016

ENVIRONMENTAL HAZARDS

For terrestrial uses, do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply within 100 feet of lakes, reservoirs, rivers, permanent streams, marshes, natural ponds, estuaries, and commercial fish farm ponds. Do not apply when weather conditions favor drift from treated area. Do not allow spray to drift off of crop, especially when spraying outer rows. Always direct spray into the crop. Do not contaminate water when disposing of equipment washwaters.

IMPORTANT — Read the entire Directions for Use and Disclaimer of Warranties before using this product.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container, tightly closed, in a safe place.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $\frac{1}{4}$ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill, or by incineration; or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval.

The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, poly-vinyl chloride (PVC), or Viton®
- Shoes plus socks

GENERAL INFORMATION

Ovation® SC is recommended for use on ornamental plants (including, but not limited to, conifers and non-bearing trees and vines, carnations, chrysanthemums, dieffenbachia, geraniums, impatiens, hydrangeas, potentillas, scheffleras, and roses), in greenhouses, saran and shade houses, outdoor container, and field-grown nursery stock for management of plant-feeding mites.

Ovation® SC is highly active on mite eggs and early mite stages. It has shown activity and persistence up to 45 days after application. Proper timing of application, based on the utilization of scouting may delay or eliminate the need for subsequent applications of other miticides.

MIXING INSTRUCTIONS

Add the appropriate amount of Ovation® SC to a partially filled spray tank under agitation. After adding Ovation® SC, other tank mix components (adjuvants, fungicides, insecticides), if required, may be added along with sufficient water to bring to the proper volume. Maintain agitation.

Adjuvant Addition:

Often addition of adjuvants (stickers, spreaders, spreader-stickers, dormant oils, etc.) will aid in the performance of plant protection products under certain conditions. Generally, an adjuvant is not required with Ovation® SC where adequate spray coverage is achieved. Should inadequate spreading of the Ovation® SC spray occur, the addition of a spreader or spreader-sticker may be considered. If addition is warranted, trial applications must be followed using the instructions in the section below, **"Notice to Users"**, as phytotoxicity can result from such additions.

pH Stability/Compatibility with Other Products:

Ovation® SC is extremely stable over a wide range of pH. It has proven to be physically and chemically stable in tank mixes with a wide range of other plant protection products. If tank mixing is planned, evaluate both the physical and chemical (phytotoxicity) compatibility on a selected group of plants prior to full scale use. See **"Notice to Users"** section below.

Notice to Users:

Ovation® SC has demonstrated excellent plant safety; however, all species and varieties of ornamental plants have not been tested. If a user wishes to make an application to an ornamental plant not listed on the label but found on a similar use site and for a pest that is listed on the label, it is suggested that a trial application be performed first.

For a trial application, make 2 applications at a 7-day interval, 2 fl. oz. per 100 gal., to 25 or more test plants grown under conditions similar to those under which the plants will be grown full scale. Wait 7 days after last application for final observation for phytotoxicity.

Ovation® SC is magenta in color and may leave a residue on light colored flowers or foliage.

APPLICATION RECOMMENDATIONS

Ovation® SC is recommended at a concentration of 2 fl. oz. per 100 gal. when used in high volume sprays using hand-held equipment. For low and ultra-low volume applications, apply 4-8 fl. oz. per acre. Applications irrespective of delivery method should not exceed 8 fl. oz. per acre, per application.

Spray applications should be directed in a manner to cover all plant surfaces, especially the undersides of leaves.

Chemigation Statement:

Do not apply this product through any type of irrigation system.

Frequency:

Ovation® SC application is recommended only once per each crop cycle in greenhouse and saran and shade house culture. For outdoor ornamentals, Ovation® SC application is recommended once per each crop cycle occurring within a year.

Mites Controlled:

Two-spotted spider mite	European red mite
Pacific spider mite	Yellow spider mite
McDaniel spider mite	

Control is achieved through direct spray contact or by mite contact with Ovation® SC residue on the treated foliage.

Timing:

Ovation® SC is most effective in mite management when applied at the first sign of mite activity and egg laying. At that time, the susceptible female mite, egg, and first stage mite largely or totally make up the population. If a high population of adult mites is present at the time of application, Ovation® SC should be tank mixed with an adult miticide. Test any tank mix for physical compatibility and crop phytotoxicity before broad scale application.

RESISTANCE MANAGEMENT

Ovation® SC is an excellent tool for growers to use in their mite resistance management program. Proper application timing of Ovation® SC may delay or reduce the number of subsequent applications of other miticides, extending their effective life as mite management products.

IPM / COMPATIBILITY WITH BENEFICIAL MITES, PREDATORY INSECTS, ETC.

Ovation® SC has proven to have limited to no effect on beneficial insects, particularly predatory mites. Ovation® SC can be effectively used in IPM programs employing beneficial insects.

DISCLAIMER AND LIMITATION OF LIABILITY

IMPORTANT NOTICE FROM EVERRIS NA INC. ("Everris")

PLEASE READ BEFORE USE.

To the extent consistent with applicable law, user or buyer accepts the conditions, disclaimer of warranties and limitations of liability. Read the entire directions for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once for full refund.

CONDITIONS: The directions for use of this product are believed to be adequate and the user or buyer must always follow the label directions carefully and exercise judgment and caution when using this product under their growing conditions. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness, unsatisfactory or substandard results or other unintended consequences may result because of such factors as weather conditions, presence or absence of other materials, or the manner of use or application, all of which are beyond the control of Everris. All such risks shall be assumed by the user or buyer.

WARRANTY: This product corresponds to all claims and descriptions set forth on the label and is reasonably fit for the purposes set forth in the directions for use on the label when used in accordance with those directions. This warranty is subject to the conditions and limitations stated herein. Everris recognizes that the rights and remedies of the user or buyer are subject to the provisions of the applicable law, but makes no other warranties or representations, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Everris is authorized to make any warranties beyond those contained herein or to modify the warranties contained therein. Subject to the user's or buyer's rights and remedies under the applicable law, Everris disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: Subject to the user's or buyer's rights and remedies under the applicable law, the exclusive remedy of the user or buyer and the liability of Everris or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid by the user or Buyer for the quantity of this product involved or, at Everris' election, the replacement of the product. To the extent consistent with applicable law, Everris must have prompt notice of any claim so that a timely investigation of buyer's or user's claim can be made. Buyer and all users shall promptly notify Everris of any claims, whether based on contract, negligence, strict liability, other tort or otherwise or be barred from any remedy.

Distributed by:
Everris NA Inc.
PO Box 3310
Dublin, OH 43016
1-800-492-8255

Made in the USA