**Press Here To Close** 

# Fertilizer for Trees SRN





Net Wt 8 Lbs (3.6 Kg)

### APPLICATION AND RATES:

**Soil injection:** Mix the recommended amount of ROOTS® Fertilizer for Trees with water, and inject into the soil to a depth of 8 to 10 inches. Start injections immediately past the root flare, being careful to avoid damage to large woody roots. Where possible, injections should cover the entire area beneath the canopy and just beyond the drip line. Use adequate agitation to prevent settling.

### **Standard Injection rate:** 8-Lbs per 1,250 sq. ft.

- Mix 8-Lbs (1 bag) ROOTS® Fertilizer for Trees per 100-gallons water and Inject:
- 100-gallons per 1,250 sq. ft. (2 quarts per injection on 2 ½ foot centers) or
- 5-gallons per inch DBH (diameter at breast height)

# Compacted or Nonporous Soils: 8-Lbs per 1,250 sq. ft.

- Mix 16-Lbs (2 bags) ROOTS® Fertilizer for Trees per 100-gallons water and Inject:
- 100-gallons per 2,500 sq. ft. (1 quart per injection on 2 ½ foot centers) or
- 2 1/2-gallons per inch DBH (diameter at breast height)

Any of the above regimens will apply approximately 0.7-Lbs (0.3-Kg) of nitrogen and 1.4-Lbs (0.6-Kg) of available phosphate ( $P_2O_5$ ) and soluble potash ( $K_2O_1$ ) per 1,000 sq. ft. (100 m²).

**Soil drench:** Mix the recommended amount of ROOTS® Fertilizer for Trees with water, and drench the entire area beneath the canopy. Mix 8-Lbs (1-bag) per 100-gallons and apply:

- Established trees: Apply 100-gallons per 1,250 sq. ft.
- Containerized trees: Apply ¼ of the container volume. (example: 1 quart/gallon container)

For best results, follow with water application to rinse product into the soil. ROOTS® Fertilizer for Trees can be tank mixed with all ROOTS® Injectable products for simultaneous application.

Not formulated for foliar application.

## STORAGE/SHELF LIFE

This product is stable in cool, dry storage conditions. Refer to expiration date on package.

Do not expose to direct sunlight for extended periods. ROOTS® Fertilizer for Trees will remain an excellent fertilizer, but the number of beneficial microbes may be reduced after the expiration date shown on the package.



i/16

### Expiration Date:

### WARNING

### **HAZARD STATEMENTS**

Contains an oxidizer. May intensify fire. Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.





### PRECAUTIONARY STATEMENTS

Keep away from heat/sparks/open flame/hot surfaces, from clothing, and from other combustible materials. No smoking.

Take precautions to avoid mixing with combustibles.

Avoid breathing dust.

Wash hands and exposed skin thoroughly after handling.

Do not eat, drink or smokewhen using this product.

Wear protective gloves/protective clothing/eye protection/face protection. Wear fire/flame resistant/retardant clothing.

IF SWALLOWED: Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF SKIN IRRITATION OCCURS: Get medical attention/advice.

In case of major fire involving large quantities, evacuate area.

Use extinguishing media suitable to local circumstances and the surrounding environment.

Options include water spray, dry chemical, carbon dioxode, Halon, or fog. Keep out of reach of children.

Dispose in accordance with all federal, state and local regulations.

# **HAZARDS NOT OTHERWISE CLASSIFIED (HNOC):**

Persons with severely supressed immune systems should contact their physician before handling ordinary microbial products.

Unknown acute toxicity: 3% of the mixture consists of ingredients of unknown toxicity.

For technical assistance, call 1-800-233-1067. Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-lebsea.com

### WARRANTY

**NOTE** to the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Not labeled for use on food crop sites.

# 11-22-22 SRN Water Dispersible Fertilizer

GUARANTEED ANALYSIS	
TOTAL NITROGEN (N)	11%
2.6% Ammoniacal Nitrogen	
2.0% Nitrate Nitrogen	
0.8% Urea Nitrogen	
1.2% Slowly Available Nitrogen*	
4.4% Water Insoluble Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	22%
Soluble Potash (K,0)	22%
Boron (B)	0.02%
0.02% Water Soluble Boron (B)	
Copper (Cu).	0.05%
0.05% Chelated Copper (Cu)	
Iron (Fe)	0.10%
0.10% Chelated Iron (Fe)	
Manganese (Mn)	0.05%
0.05% Chelated Manganese (Mn)	
Molybdenum (Mo)	0.0009%
0.0009% Water Soluble Molybdenum (Mo)	
Zinc (Zn)	0.05%
0.05% Chelated Zinc (Zn)	
Derived from: Ureaformaldehyde, Ammonium Sulfate, monopotassium	
Phosphate, Potassium Nitrate, Boric Acid, Iron EDTA, Man	
Zinc EDTA, Copper EDTA, Ammonium Molybdate.	·
*5.6% Slowly available Nitrogen from Ureaformaldehyde	
Potential Acidity: 461-Lb Calcium carbonate equivalent p	
ALSO CONTAINS NON PLANT FOOD INGREDIENTS	
SOIL/PLANT AMENDING INGREDIENTS	
Active Ingredients	
Rhizosphere Bacteria 20 Million cfu/g	
4.5 Million cfu/g <i>Bacillus licheniformis</i>	
4.5 Million cfu/g <i>Bacillus megaterium</i>	
1 Million cfu/g Bacillus polymyxa	
4.5 Million cfu/g <i>Bacillus pumilus</i>	
4.5 Million cfu/g <i>Bacillus subtilis</i>	
1 Million cfu/g <i>Paenibacillus azotofixans</i>	
MICROBIAL NUTRIENTS.	3.3%
2.2% Soluble Seaweed Extract (derived from Ascophyllum nodosum)	
0.8% Maltodextrin	
0.3% Yeast Extract	4.00/
Humic Acids (derived from Leonardite)	1.8%
*RZ-3 Surfactant (alkoxylated glucopyranoside)	2.8%
INERT INGREDIENTS 92.1%	
91.1% Fertilizer	
1.0% Leonardite extract (other than humic acids)	
*RZ-3 is a proprietary surfactant, U.S. Patent # 6,460,290.	F699



Manufactured by:
Lebanon Seaboard Corporation 1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A. www.LebanonTurf.com