

4-Speed® XT



Deader. Faster.

4-Speed® XT herbicide provides fast, effective post-emergent control of a wide range of broadleaf weeds in a variety of settings including golf courses and professional turf. The power behind the performance is a unique blend of active ingredients. In 4-Speed XT, the tough weed killer, triclopyr, is combined with 2,4-D, dicamba and pyraflufen-ethyl to create a combination lethal to virtually any broadleaf weed.

PREMIUM CHEMISTRY

- Fast-acting broadleaf weed control with visible results within 24 to 48 hours
- Premium chemistry of four active ingredients
- Maximum control of hard-to-control weeds like wild violet, ground ivy and spurge
- Good tolerance on established cool- and warm-season turfgrasses
- Non-restricted use in NY

EPA REG. NO. 228-590

ACTIVE INGR. 2,4-D (41.92%),
triclopyr (4.81%),
dicamba (3.46%),
pyraflufen-ethyl (0.067%)

FORMULATION liquid

CHEM. FAMILY phenoxy, pyridine,
benzoic acid, phenylpyrazole

HRAC NO. 4 and 14

SIGNAL WORD caution

RESTRICTED no

PACKAGE SIZE 12 x 1 qt, 5 x 1 gal,
2 x 2.5 gal, 30 gal

 RESIDENTIAL

 COMMERCIAL

 TURF

 GOLFTURF

 POST-EMERGE

 SOD FARMS



Nufarm

Grow a better tomorrow.

4-Speed® XT

KEY USES

Athletic fields
 Cemeteries
 Golf courses (*fairways, aprons, tees and roughs*)
 Lawns
 Parks
 Sod farms

KEY WEEDS CONTROLLED

(See product label for complete list)

Beggarweed
 Bindweed
 Black medic
 Buckhorn
 Chickweed
 Dandelion
 Florida pusley
 Frenchweed
 Goldenrod
 Ground ivy
 Henbit
 Jimsonweed
 Knawel
 Knotweed
 Kochia
 Lambsquarters
 Lespedeza
 Little starwort
 Mallow
 Oxalis
 Pennywort
 Pepperweed
 Pigweed
 Plantain
 Purslane
 Ragweed
 Red clover
 Red sorrel
 Sheep sorrel
 Spurge
 Thistle
 Toadflax
 Veronica
 Vetch
 Wild aster
 Wild violet
 White clover

USE SUMMARY

Apply to young, actively growing weeds as a post-emergence broadcast or spot spray. Use only medium or coarser spray nozzles to minimize drift and do not apply at wind speeds over 10 mph or during temperature inversions.

BAHIAGRASS, BLUEGRASS, COMMON BERMUDAGRASS, FESCUE, RYEGRASS AND ZOYSIAGRASS

Use rate: 3 to 4 pts/A

Spray volume: 3 gal/A to 220 gal/A

Some hybrid bermudagrass may be sensitive to this product. Use reduced rates if grass is stressed from heat or drought. Higher water volumes may be used when tank-mixed with a turf fertilizer. Follow fertilizer labels.

BENTGRASS

Use rate: 1.8 pt/A

Spray volume: 145 gal/A

Apply on closely mowed bentgrass, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

See label for complete directions for use.

