

## Safety Data Sheet

**Section 1: Identification****Product identifier****Product Name**

- **Zenprox Xtend Aerosol**

**Synonyms**

- EPA Reg. No.: 89459-12; RF2220 Premium Aerosol II-M

**Product Description**

- Neutral, glossy aerosol spray.

**Relevant identified uses of the substance or mixture and uses advised against****Recommended use**

- Insecticide.

**Restrictions on use**

- Keep out of the reach of children. Avoid contact with skin, eyes and clothing. Keep away from heat, sparks and flame. Use in well ventilated area. Do not take internally.

**Details of the supplier of the safety data sheet****Manufacturer**

- Central Garden & Pet Company  
1501 E. Woodfield Road, Suite 200W  
Schaumburg, IL 60173  
United States  
  
www.zoecon.com

**Emergency telephone number****Manufacturer**

- 1-800-424-9300 - CHEMTREC

**Manufacturer (Transportation)** • 1-703-527-3887 - Chemtrec - Outside US collect calls accepted

**Manufacturer**

- 1-800-248-7763

**Section 2: Hazard Identification****United States (US)**

According to: OSHA 29 CFR 1910.1200 HCS

**Classification of the substance or mixture****OSHA HCS 2012**

- Aspiration 1  
Flammable Aerosols 2  
Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects  
Compressed Gas

**Label elements****OSHA HCS 2012**

**DANGER**



- Hazard statements** • Flammable aerosol  
 May cause drowsiness or dizziness  
 May be fatal if swallowed and enters airways  
 Contains gas under pressure; may explode if heated

### Precautionary statements

- Prevention** • Use only outdoors or in a well-ventilated area.  
 Avoid breathing dust, fume, gas, mist, vapors and/or spray.  
 Do not spray on an open flame or other ignition source.  
 Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.  
 Pressurized container: Do not pierce or burn, even after use.  
 Wear protective gloves/protective clothing/eye protection/face protection.  
 Wash thoroughly after handling.
- Response** • IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison control center or doctor if you feel unwell.  
 Call a POISON CENTER or doctor/physician if you feel unwell.  
 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 Do NOT induce vomiting.
- Storage/Disposal** • Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.  
 Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.  
 Store locked up.  
 Store in a well-ventilated place. Keep container tightly closed.  
 Protect from sunlight.

### Other hazards

#### OSHA HCS 2012

- This product is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

## Section 3 - Composition/Information on Ingredients

### Substances

- Material does not meet the criteria of a substance according to United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS)

### Mixtures

Composition		
Chemical Name	Identifiers	%
(s)-Methoprene	CAS:40596-69-8	0.09%
Pyrethrins	CAS:8003-34-7	0.15%
Tetramethrin	CAS:7696-12-0	0.25%
Etofenprox	CAS:80844-07-1	1%
Piperonyl butoxide	CAS:51-03-6	1.5%
Distillates (petroleum), hydrotreated light	CAS:64742-47-8	10%
Propane	CAS:74-98-6	14.5%

Butane	CAS:106-97-8	N/A
Other ingredients	NDA	Balance

## Section 4: First-Aid Measures

### Description of first aid measures

#### Inhalation

- IF INHALED: If breathing is difficult, remove person to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Skin

- IF ON SKIN: Wash with plenty of soap and water. Get medical attention if symptoms occur.

#### Eye

- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or doctor for treatment advice.

#### Ingestion

- IF SWALLOWED: Aspiration hazard - do NOT induce vomiting. Call a poison control center or doctor immediately for treatment advice.

### Most important symptoms and effects, both acute and delayed

- Aspiration hazard, may cause dizziness or drowsiness if inhaled. Refer to Section 11 - Toxicological Information.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

- Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically and supportively.

## Section 5: Fire-Fighting Measures

### Extinguishing media

- Suitable Extinguishing Media**
- LARGE FIRE: Water spray, fog or regular foam.
  - SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

**Unsuitable Extinguishing Media**

- Avoid heavy hose streams.

**Firefighting Procedures**

- Flammable aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.  
As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions.

### Special hazards arising from the substance or mixture

**Unusual Fire and Explosion Hazards**

- At temperatures above 130°F, container may rupture.  
Flammable aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.

**Hazardous Combustion Products**

- Thermal degradation may produce oxides of carbon, oxides of nitrogen and/or volatile hydrocarbon vapors.

## Advice for firefighters

- Wear positive pressure self-contained breathing apparatus (SCBA).

## Section 6 - Accidental Release Measures

### Personal precautions, protective equipment and emergency procedures

#### Personal Precautions

- Approach leaking or punctured pressurized containers cautiously. Isolate leaking container from all sources of ignition. Avoid breathing fumes. Ventilate enclosed areas.

#### Emergency Procedures

- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Avoid unnecessary personnel and equipment traffic in the spill area. Turn off electric power to area. As an immediate precautionary measure, isolate spill or leak area for at least 50 meters (150 feet) in all directions. Stay upwind. Ventilate closed spaces before entering.

### Environmental precautions

- Avoid runoff to waterways and sewers.

### Methods and material for containment and cleaning up

#### Containment/Clean-up Measures

- Keep away from fire, sparks and heated surfaces.  
SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal.

## Section 7 - Handling and Storage

### Precautions for safe handling

#### Handling

- Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not smoke while using this product. Do not allow product to freeze. Contents under pressure, do not crush, puncture or incinerate. Avoid breathing fumes.

### Conditions for safe storage, including any incompatibilities

#### Storage

- Store in a cool, dry place. Keep out of reach of children. Keep away from sources of ignition – No Smoking. Store locked up. Store in a well-ventilated place. Keep container tightly closed. Keep at a temperature not exceeding 120 F. Keep from freezing. NFPA Aerosol Classification: Level 1. Protect from sunlight.

#### Incompatible Materials or Ignition Sources

- Heat, sparks, open flame.

## Section 8 - Exposure Controls/Personal Protection

### Control parameters

Exposure Limits/Guidelines				
	Result	ACGIH	NIOSH	OSHA
Butane (106-97-8)	STELs	1000 ppm STEL	Not established	Not established
	TWAs	Not established	800 ppm TWA; 1900 mg/m3 TWA	Not established

Pyrethrins (8003-34-7)	TWAs	5 mg/m3 TWA	5 mg/m3 TWA	5 mg/m3 TWA
Propane (74-98-6)	TWAs	See Appendix F: Minimal Oxygen Content	1000 ppm TWA; 1800 mg/m3 TWA	1000 ppm TWA; 1800 mg/m3 TWA

## Exposure Limits Supplemental

### ACGIH

- Pyrethrins (8003-34-7): **TLV Basis - Critical Effects:** (liver damage; lower respiratory tract irritation)
- Propane (74-98-6): **TLV Basis - Critical Effects:** (asphyxia (See Appendix F: Minimal Oxygen Content))
- Butane (106-97-8): **TLV Basis - Critical Effects:** (CNS impairment)

## Exposure controls

### Engineering Measures/Controls

- Use adequate ventilation to remove vapors (fumes, dust etc)

### Personal Protective Equipment

#### Pictograms



#### Respiratory

- In case of insufficient ventilation, use NIOSH approved respiratory protection.

#### Eye/Face

- Wear safety goggles.

#### Hands

- Wear appropriate gloves.

#### Skin/Body

- If prolonged exposure is anticipated, it is recommended for handlers to wear appropriate clothing to prevent skin contact.

### Environmental Exposure Controls

- No data available

## Other Information

- See product label for specific use PPE instructions.

## Section 9 - Physical and Chemical Properties

### Information on Physical and Chemical Properties

Material Description			
Physical Form	Aerosol	Appearance/Description	Neutral; glossy aerosol spray.
Color	Neutral, glossy.	Odor	Weak/none; neutral; paint-like.
Aerosol Type	Spray	Odor Threshold	No data available
General Properties			
Boiling Point	No data available	Melting Point/Freezing Point	No data available
Decomposition Temperature	No data available	Heat of Decomposition	No data available
pH	6.5	Specific Gravity/Relative Density	= 0.97 Water=1
Water Solubility	Insoluble	Viscosity	No data available
Volatility			
Vapor Pressure	No data available	Vapor Density	No data available
Evaporation Rate	No data available	VOC (Wt.)	14.5 %
Flammability			
Flash Point	Not relevant	UEL	No data available
LEL	No data available	Heat of Combustion ( $\Delta H_c$ )	7.49 kJ/g
Flame Extension	12.3 in	Flammability (solid, gas)	Flammable aerosol.
Environmental			

Octanol/Water Partition coefficient	No data available		
-------------------------------------	-------------------	--	--

## Section 10: Stability and Reactivity

### Reactivity

- No data available

### Chemical stability

- No data available

### Possibility of hazardous reactions

- Flammable, aerosols exposed to high temperatures may rupture, rocket and cause secondary hazards.

### Conditions to avoid

- Heat, sparks, open flame. Excess heat.

### Incompatible materials

- Heat, strong acids, strong bases and oxidizing agents.

### Hazardous decomposition products

- Hazardous decomposition may occur when heated producing oxides of carbon and nitrogen, volatile hydrocarbon vapors.

## Section 11 - Toxicological Information

### Information on toxicological effects

	CAS	
Zenprox Xtend Aerosol	NDA	<b>Acute Toxicity:</b> Ingestion/Oral-Rat LD50 • >5000 mg/kg; Inhalation-Rat LC50 • >2.05 mg/L 4 Hour(s); Skin-Rat LD50 • >5000 mg/kg; <b>Irritation:</b> Eye-Rabbit • Mild irritation; Skin-Rabbit • Mild irritation

GHS Properties	Classification
<b>Acute toxicity</b>	OSHA HCS 2012 • Acute Toxicity - Dermal - Classification criteria not met; Acute Toxicity - Inhalation - Classification criteria not met; Acute Toxicity - Oral - Classification criteria not met
<b>Skin corrosion/Irritation</b>	OSHA HCS 2012 • Classification criteria not met
<b>Serious eye damage/Irritation</b>	OSHA HCS 2012 • Classification criteria not met
<b>Skin sensitization</b>	OSHA HCS 2012 • Classification criteria not met
<b>Respiratory sensitization</b>	OSHA HCS 2012 • Classification criteria not met
<b>Aspiration Hazard</b>	OSHA HCS 2012 • Aspiration 1
<b>Carcinogenicity</b>	OSHA HCS 2012 • Classification criteria not met
<b>Germ Cell Mutagenicity</b>	OSHA HCS 2012 • Classification criteria not met
<b>Toxicity for Reproduction</b>	OSHA HCS 2012 • Classification criteria not met
<b>STOT-SE</b>	OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects

STOT-RE

OSHA HCS 2012 • Classification criteria not met

**Potential Health Effects****Inhalation**

- Acute (Immediate)** • May cause drowsiness and dizziness.
- Chronic (Delayed)** • No data available

**Skin**

- Acute (Immediate)** • May cause mild irritation.
- Chronic (Delayed)** • Repeated exposure to etofenprox can cause skin irritation.

**Eye**

- Acute (Immediate)** • May cause mild irritation.
- Chronic (Delayed)** • No data available

**Ingestion**

- Acute (Immediate)** • Aspiration Hazard - may be fatal if swallowed and enters airways.
- Chronic (Delayed)** • No data available

**Mutagenic Effects**

- Piperonyl butoxide was not genotoxic in several tests, including the Ames mutagenicity assay, chromosome aberration in Chinese hamster ovary (CHO) cells, CHO/HGPRT assay with S9 activation and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Pyrethrins were not found to be genotoxic and did not damage DNA in any study conducted which included: Ames assay, chromosome aberration in Chinese hamster ovaries (CHO) cells and in the unscheduled DNA synthesis (UDS) assay in cultured human liver cells. Etofenprox has been found negative for mutagenicity potential using the Ames test, chromosomal aberration and micronucleus test methods. Methoprene has been tested and found negative for mutagenicity potential.

**Carcinogenic Effects**

- No component of this product present at 0.1% or greater is listed by IARC, OSHA or NTP.

**Reproductive Effects**

- Piperonyl butoxide did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Pyrethrins did not produce any birth defects or adverse effects on reproductive parameters in tests with rats and rabbits. Etofenprox did not produce teratogenic or reproductive effects in laboratory experiments. Methoprene is not a teratogenic compound. The NOEL for maternal and embryotoxicity in rabbits was 200 mg/kg/day. The NOEL for reproductive effects in rats was 500 ppm.

**Section 12 - Ecological Information****Toxicity**

Components		
Etofenprox (1%)	80844-07-1	<b>Aquatic Toxicity-Fish:</b> 96 Hour(s) LC50 <i>Sheepshead minnow</i> >0.0165 mg/L [Acute] 96 Hour(s) LC50 <i>Rainbow Trout</i> 0.0027 mg/L [Acute] <b>Aquatic Toxicity-Crustacea:</b> 48 Hour(s) LC50 Water Flea <i>Daphnia magna</i> 0.0008 mg/L [Acute] 96 Hour(s) LC50 <i>Mysid shrimp</i> 0.0000188 mg/L [Acute] NOEC Water Flea <i>Daphnia magna</i> 0.00017 mg/L [Chronic]
Tetramethrin (0.25%)	7696-12-0	<b>Aquatic Toxicity-Fish:</b> 96 Hour(s) LC50 <i>Rainbow trout</i> 0.0037 mg/L [Acute] 96 Hour(s) LC50 <i>Blue gill</i> 0.016 mg/L [Acute] <b>Aquatic Toxicity-Crustacea:</b> 48 Hour(s) LC50 <i>Daphnia magna</i> 0.11 mg/L [Acute]
		<b>Aquatic Toxicity-Fish:</b> LC50 <i>Rainbow Trout</i> 1.9 mg/L [Acute] LC50 <i>Sheepshead minnow</i> 3.94 mg/L [Acute]

Piperonyl butoxide (1.5%)	51-03-6	NOEC <i>Fathead minnow</i> 0.04 mg/L [Chronic] <b>Aquatic Toxicity-Crustacea:</b> LC50 <i>Gammarus fasciatus (amphipod)</i> 0.51 mg/L [Acute] LC50 <i>Mysid shrimp</i> 0.49 mg/L [Acute] NOEC <i>Daphnia magna</i> 0.03 mg/L [Chronic]
Pyrethrins (0.15%)	8003-34-7	<b>Aquatic Toxicity-Fish:</b> 96 Hour(s) LC50 <i>Rainbow trout</i> 0.0051 mg/L [Acute] 96 Hour(s) LC50 <i>Sheepshead minnow</i> 0.016 mg/L [Acute] 96 Hour(s) NOEC <i>Fathead minnow</i> 0.0019 mg/L [Chronic] NOEC <i>Sheepshead minnow</i> 0.0059 mg/L [estimated chronic] <b>Aquatic Toxicity-Crustacea:</b> NOEC <i>Daphnia magna</i> 0.00086 mg/L [Chronic] NOEC <i>Mysid shrimp</i> 0.0001 mg/L [Estimated chronic] 96 Hour(s) LC50 <i>Mysid Shrimp</i> 0.0014 mg/L [Acute] 48 Hour(s) LC50 Water Flea <i>Daphnia magna</i> 0.0116 mg/L [Acute]
(s)-Methoprene (0.09%)	40596-69-8	<b>Aquatic Toxicity-Fish:</b> 96 Hour(s) LC50 <i>Rainbow Trout</i> 0.76 mg/L [Acute] 96 Hour(s) LC50 <i>Blue Gill</i> >0.37 mg/L [Acute] NOEC <i>Fathead minnow</i> 0.048 mg/L [Chronic] <b>Aquatic Toxicity-Crustacea:</b> NOEC <i>Mysid shrimp</i> 0.014 mg/L [Chronic] 96 Hour(s) LC50 <i>Mysid shrimp</i> 0.11 mg/L [Acute] 48 Hour(s) LC50 <i>Daphnia magna</i> 0.36 mg/L [Acute]

### Persistence and degradability

- No data available

### Bioaccumulative potential

- No data available

### Mobility in Soil

- No data available

### Other adverse effects

#### Potential Environmental Effects

- This product is toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

## Section 13 - Disposal Considerations

### Waste treatment methods

#### Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Do not allow entry into storm drains, drainage ditches, gutters or surface waters.

#### Packaging waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. Do not puncture or incinerate. Nonrefillable container. Do not reuse or refill container. See product label for container disposal instructions.

## Section 14 - Transport Information

	UN number	UN proper shipping name	Transport hazard class (es)	Packing group	Environmental hazards
DOT	UN1950	Aerosols (contains Etofenprox)	2.1	None	Not Applicable



<b>IMO/IMDG</b>	UN1950	Aerosols, (contains Etofenprox)	2.1	None	Marine Pollutant
<b>IATA/ICAO</b>	UN1950	Aerosols, flammable	2.1	None	Acute Aquatic Toxicity

**Special precautions for user** • None specified.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** • No data available

**Other information**

**DOT** • Environmental Hazards: RQ (Pyrethrins = 1 lb).

**IMO/IMDG** • No data available

**IATA/ICAO** • No data available

## Section 15 - Regulatory Information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**SARA Hazard Classifications** • SARA Title III Section 313, Acute, Fire

### FIFRA – Pesticide Labeling

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

**Precautionary Statements** • KEEP OUT OF REACH OF CHILDREN.

#### Hazards to Humans and Domestic Animals

Contains Petroleum Distillate. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Repeated exposure to etofenprox can cause skin irritation.

#### First Aid

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. NOTE TO PHYSICIAN: Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

#### Environmental Hazards

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the area.

#### Physical or Chemical Hazards

Contents under pressure. Do not use or store near open flame. Do not puncture or

incinerate container. Exposure to temperatures above 130°F may cause bursting.

Inventory		
Component	CAS	TSCA
Butane	106-97-8	Yes
Distillates (petroleum), hydrotreated light	64742-47-8	Yes
Etofenprox	80844-07-1	No
(s)-Methoprene	40596-69-8	No
Piperonyl butoxide	51-03-6	Yes
Propane	74-98-6	Yes
Pyrethrins	8003-34-7	No
Tetramethrin	7696-12-0	No

## United States

### Environment

#### U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Propane	74-98-6	Not Listed 1 lb final RQ (listed under Pyrethrins); 0.454 kg final RQ (listed under Pyrethrins)
• Pyrethrins	8003-34-7	Not Listed
• Etofenprox	80844-07-1	Not Listed
• Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
• Piperonyl butoxide	51-03-6	Not Listed
• Tetramethrin	7696-12-0	Not Listed
• (s)-Methoprene	40596-69-8	Not Listed
• Butane	106-97-8	Not Listed

#### U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Propane	74-98-6	Not Listed
• Pyrethrins	8003-34-7	Not Listed
• Etofenprox	80844-07-1	Not Listed
• Distillates (petroleum), hydrotreated light	64742-47-8	Not Listed
• Piperonyl butoxide	51-03-6	1.0 % de minimis concentration
• Tetramethrin	7696-12-0	1.0 % de minimis concentration
• (s)-Methoprene	40596-69-8	Not Listed
• Butane	106-97-8	Not Listed

## Section 16 - Other Information

<b>Revision Date</b>	• New
<b>Last Revision Date</b>	• New
<b>Preparation Date</b>	• 01/18/2017
<b>Disclaimer/Statement of Liability</b>	• The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability

for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.