

SPECIMEN

Group **7** **11** Fungicide

Pageant® TR

Intrinsic® Brand Fungicide

One Can Treats Up To 3,000 square feet

For Use on Ornamentals in Commercial Greenhouses and Transportation Equipment (Trucks - Cargo Areas Only)

CONTROLS: Alternaria, Botrytis, Cercospora, Cylindrocladium, Myrothecium, Powdery Mildew, and Rust (Uromyces)

Active Ingredients*:

pyraclostrobin: carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl] oxy] methyl] phenyl] methoxy-, methyl ester	1.75%
boscalid: 3-pyridinecarboxamide, 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl)	3.50%
Other Ingredients:	94.75%
Total:	100.00%

*One can contains 0.0033 lb pyraclostrobin and 0.0066 lb boscalid.

EPA Reg. No. 499-553

EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION/PRECAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)

Refer to full label for **First Aid, Precautionary Statements, Directions For Use, Conditions of Sale and Warranty**, and state-specific use site restrictions.

In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).

Net Contents:

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry

FIRST AID

If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• DO NOT induce vomiting unless told to do so by a poison control center or doctor.• DO NOT give anything to an unconscious person.
If on skin	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15 to 20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION. Harmful if swallowed. Avoid contact with eyes, skin or clothing. Causes moderate eye irritation.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as barrier laminate or butyl rubber, nitrile rubber, neoprene rubber or PVC or viton)
- Socks and shoes

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washing exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately after handling the product. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental Hazards

This product may be toxic to bees exposed to direct treatment or residues from blooming plants.

Physical or Chemical Hazards

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the **Directions For Use** on this label very carefully.



Highly Flammable Ingredient
Ingrediente Altamente Inflamable

Directions For Use

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Contents of container must be at room temperature before use; therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application. Elevate the container so that the top of the can is above the top of plant canopy and clear a 6 foot area around the can. Make sure spray is unobstructed by foliage or other physical objects in order to obtain maximum distribution of fog.

Notice: Good greenhouse management must overrule the use of this product when conditions that would harm plant foliage or flowers might be created by tightly closing greenhouses. **DO NOT** use this product in greenhouses with unvented or defective gas heating systems or when open combustion exists.

AGRICULTURAL USE REQUIREMENTS

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

DO NOT enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours with no ventilation. Alternatively, you may ventilate the treated areas after four hours per 40 CFR 170.110(c)(3) until after:

- 10 air exchanges are completed; or
- 4 hours of ventilation using vents, windows or other passive ventilation; or
- 2 hours of ventilation using fans or other mechanical ventilating systems.

Using one of these ventilation methods is equivalent to the REI of 12 hours with no ventilation, and no PPE is required after this time.

Early entry to treated areas is permissible after 4 hours (per 40 CFR 170.112) to perform short-term activities, such as ventilation procedures, provided personal protective equipment is worn. PPE required for early entry to treated areas that is permitted under the WPS and that involves contact with anything that has been treated, such as plants, soil, or water, is coveralls, chemical-resistant gloves, such as barrier laminate or butyl rubber, shoes plus socks.

STORAGE AND DISPOSAL

DO NOT contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store in a cool area away from heat or open flame.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

Container Handling

DO NOT puncture or incinerate! **If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

In Case of Emergency

In case of large-scale spill of this product, call:

- CHEMTREC 1-800-424-9300
- BASF Corporation 1-800-832-HELP (4357)

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- BASF Corporation 1-800-832-HELP (4357)

Application Information

Use Sites

Ornamentals in commercial greenhouses and trucks (cargo areas only) including:

- Bedding plants
- Cut flowers
- Flowering hanging baskets
- Foliage plants
- Potted flowering plants
- Perennials

Preapplication Directions

Apply prior to disease development as part of a preventative disease management program. Elevate the container so that the top of the can is above the top of plant canopy and clear a 6 foot area around the can. Shut off all exhaust fans and close all windows, doors and vents. **DO NOT** place cans within 10 horizontal feet of any ignition source such as pilot lights, other open flames, or running electrical appliances that cycle off and on. Apply when foliage is dry and temperature is between 60°F to 80°F. At lower or higher temperatures, crop injury may result. Prior to a full scale application, run a small scale test and observe for plant damage and performance. See **Plant Safety Information** for more details.

Total Release Dosage

When using to control Cercospora, apply 2 cans per 3,000 square feet. When using to control Rust, ensure good air movement prior to application and position plants to ensure coverage of tops and bottoms of leaves. When using to control all other listed diseases, apply 1 can per 3,000 square feet. Repeat applications can be made at 7 day intervals. **DO NOT** make more than two consecutive applications of this product before alternating to a labeled fungicide with a different mode of action for at least one application to maintain good resistance management practices. This product is fungicide class **Group 7** (boscalid) and **Group 11** (pyraclostrobin). Apply up to 4 times per crop. Up to 10 cans per 3,000 square feet is permitted per year.

To Activate Cans

Start with can farthest away from exit door. Tilt can away from face during activation. Activate each can by pressing tab down and locking it. Leave greenhouse immediately. The entire contents will release automatically.

Plant Safety Information

This product has been applied to a variety of common ornamental plants without observed plant injury. Not all species, varieties, and cultivars have been tested for tolerance to this product, possible space mix combinations with this product, or pesticide treatments preceding or following treatments made with this product. Local conditions can also influence plant tolerance and may not match those under which BASF has conducted testing. Because many cultivars within a plant species vary in tolerance to chemical applications and growing conditions, the grower must recognize these differences and test the product accordingly. At a minimum, always test a small group of representative plants for tolerance to this product under local growing conditions and prior to large-scale use. Refer to **Table 1. Plant Species NOT Tolerant to Pageant® TR Intrinsic® brand fungicide** for the list of plants known to be sensitive to this product.

Grower assumes responsibility for testing species suitability under local growing conditions by treating a small number of plants at the specified rate. At a minimum, this should include evaluating treated plants for several weeks following treatment for possible injury or other effects. To the extent consistent with applicable law, by applying this product, the user assumes responsibility for any crop damage or other liability associated with factors beyond the manufacturer's control, such as weather, presence of other materials, and manner or use of application.

Plant Safety Restrictions and Limitations

- This product has occasionally shown **discoloration on plants and open flowers** following application to **Impatiens** and **Petunias**. Make sure you have tested plants prior to release of this product on a large scale.
- **DO NOT** apply to plants exhibiting symptoms of stress or injury such as stunting, wilting, leaf burn or drop, or abnormal growth.
- **DO NOT** expose the species or varieties in **Table 1. Plant Species NOT Tolerant to Pageant® TR Intrinsic® brand fungicide** to this product.

Table 1. Plant Species NOT Tolerant to Pageant® TR Intrinsic® brand fungicide

Common Name	Scientific Name
Gerbera	<i>Gerbera</i> spp.
Ninebark	<i>Physocarpus opulifolius</i>
Pansy	<i>Viola</i> spp.
Wintercreeper	<i>Euonymus fortunei</i> 'Vegetus'

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS915

Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.



Intrinsic and Pageant are registered trademarks of BASF.

© 2016 BASF Corporation
All rights reserved.

000499-00553.20160711.**NVA 2016-04-464-0164**
Based on: NVA 2016-04-464-0040

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709


We create chemistry