



SEMERA™

51.0% WDG HERBICIDE

SAFETY DATA SHEET

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products is regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling. All necessary and appropriate precautionary, use, and storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: SEMERA™ 51.0% WDG HERBICIDE

SYNONYM(S): None

EPA REGISTRATION NUMBER: 59639-120-91234

PRODUCT DESCRIPTION: Herbicide

COMPANY IDENTIFICATION:

Atticus, LLC

1204 Village Market Pl. #273

Morrisville, NC 27560

Business Phone: (984) 664-9804

Fax: (984) 664-9814

www.AtticusLLC.com

MANUFACTURER/DISTRIBUTOR

Atticus, LLC

1204 Village Market Pl. #273

Morrisville, NC 27560

EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr): 1-844-685-9173

TRANSPORTATION (24 hr.): CHEMTREC 1-800-424-9300

CCN712313 or 1-703-527-3887

2. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL NAME	Weight/ Pct.	ACGIH Exposure Limits	OSHA Exposure Limits
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoin-dole-1,3(2H)-dione) (103361-09-7)	51	None	None
Kaolin clay (1332-58-7)	16	2 mg/m ³ TWA (respirable fraction)	15 mg/m ³ TWA 5 mg/m ³ TWA
Others ** (including particulates not otherwise classified) (No CAS#)	32	10 mg/m ³ TWA (inhalable particulate); 3 mg/m ³ TWA (respirable fraction)	15 mg/m ³ TWA (total dust); 5 mg/m ³ TWA (respirable fraction)

*Active Ingredient

Other ingredients, which are maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identity is withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **1-844-685-9173 at any time.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION

- Harmful if inhaled or absorbed through skin.
- Avoid breathing dust or spray mist.
- Avoid contact with eyes, skin and clothing.
- Keep out of reach of children.

POTENTIAL HEALTH EFFECTS

ACUTE TOXICITY (PRIMARY ROUTES OF EXPOSURE)

SIGNS AND SYMPTOMS OF SYSTEMIC EFFECTS: No signs or symptoms occurred in animals exposed to high oral or dermal doses of Flumioxazin Technical. Exposure to very high concentrations of Flumioxazin Technical in the air resulted in breathing difficulties, decreased activity and some changes in the tissues of the respiratory system.

ACUTE EYE CONTACT: Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor eye irritation. The expected adverse health effects resulting from an exposure may include redness and possible swelling.

ACUTE SKIN CONTACT: Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor skin irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling. This product may be slightly toxic when absorbed through the skin. This product is not expected to cause allergic skin reactions.

ACUTE INGESTION: Based on an evaluation of the ingredients and/or similar products, this product may be minimally toxic when ingested.

ACUTE INHALATION: Based on an evaluation of the ingredients and/or similar products, this product is expected to be slightly toxic when inhaled. Exposure to high concentrations of dust may result in respiratory irritation. Signs and symptoms may include, but not be limited to, nasal discharge, sore throat, coughing and difficulty in breathing.

CHRONIC TOXICITY (INCLUDING CANCER): Repeated exposures to Flumioxazin Technical in animals have produced anemia and other blood formation changes, organ weight changes and changes in blood chemistry. Flumioxazin Technical did not produce cancer in lifetime feeding studies in laboratory animals..

DEVELOPMENTAL TOXICITY (BIRTH DEFECTS): Birth defects were produced in the offspring of female rats exposed to Flumioxazin Technical. No effects were observed in rabbits.

REPRODUCTIVE TOXICITY: Reproductive effects were observed in rats exposed to Flumioxazin Technical.

POTENTIALLY AGGRAVATED MEDICAL CONDITIONS: Individuals with anemia or preexisting diseases of the blood may have increased susceptibility to the toxicity of excessive exposures.

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

4. FIRST AID MEASURES

EMERGENCY NUMBER 1-844-685-9173

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-844-685-9173** for emergency medical treatment information.

EYE CONTACT: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

SKIN CONTACT: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

INGESTION: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

INHALATION: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, if possible. Call a poison control center or doctor for further treatment advice.

NOTES TO PHYSICIAN: None.

5. FIRE-FIGHTING MEASURES

FLASH POINT: Not applicable

AUTO IGNITION: No data available

FLAMMABLE LIMITS (LFL-UFL): Not applicable

EXTINGUISHING MEDIA: Water fog, carbon dioxide, foam, dry chemical

NFPA RATINGS: Health – 1 / Flammability – 1 / Reactivity – 0 / Special – none (Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

FIRE FIGHTING INSTRUCTIONS: Products of combustion from fires involving this material may be toxic. Avoid breathing smoke and mists. Avoid personnel and equipment contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Decontaminate personal protective equipment and fire fighting equipment before reuse.

HAZARDOUS COMBUSTION PRODUCTS: Normal combustion forms carbon dioxide, water vapor and may produce: oxides of nitrogen. Combustion may produce toxic Nitrogen compounds and Fluorine compounds. Incomplete combustion can produce carbon monoxide.

6. ACCIDENTAL RELEASE MEASURES

Atticus EMERGENCY PHONE NUMBER: 1-844-685-9173

CHEMTREC EMERGENCY PHONE

NUMBER: 1-800-424-9300 CCN712313

OBSERVE PRECAUTIONS IN SECTION 8:

PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

FOR SPILLS ON LAND:

CONTAINMENT: Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

CLEANUP: Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

FOR SPILLS IN WATER:

CONTAINMENT: This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release into soil, surface water and ground water.

CLEANUP: Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.



Manufactured for:
Atticus, LLC
1204 Village Market Pl. #273
Morrisville, North Carolina 27560

7. HANDLING AND STORAGE

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

Keep herbicide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

RESPIRATORY PROTECTION: Use this material only in well ventilated areas. Unless ventilation is adequate to keep airborne concentrations below recommended exposure standards, approved respiratory protection should be worn.

This material may be a respiratory irritant and, unless ventilation is adequate, the use of approved respiratory protection is recommended. Use this material only in well ventilated areas.

SKIN PROTECTION: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including gloves.

EXPOSURE LIMITS - See Section 2.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL FORM: Granule

COLOR: Light brown

ODOR: Slight

MELTING POINT: Not applicable

BULK DENSITY: 0.49 g/cc (30.8 lb./cu. ft.)

VAPOR PRESSURE: Not applicable

pH: 5.4 @ 25°C (1% suspension)

CORROSION CHARACTERISTICS: Not corrosive to containers.

SOLUBILITY: Dispersible in water.

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: This material is considered chemically and thermally stable.

INCOMPATIBILITY: May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

OXIDATION/REDUCTION PROPERTIES: Not an oxidizing or reducing agent.

EXPLODABILITY: Not expected to be explosive.

HAZARDOUS DECOMPOSITION PRODUCTS: No data available.

11. TOXICOLOGICAL INFORMATION

ACUTE (Product Specific Information):

Eye irritation: No product specific data available. Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor eye irritation. (Toxicity Category III)

Skin irritation: Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor skin irritation. (Toxicity Category IV)

Oral Toxicity: No product specific data available. The oral LD₅₀ in rats for a similar product is > 5,000 mg/kg. (Toxicity Category IV)

Dermal Toxicity: No product specific data available. The dermal LD₅₀ in rabbits for a similar product is > 2000 mg/kg. (Toxicity Category III)

Inhalation Toxicity: No product specific data available. No rats died in a 4-hour inhalation study with a similar product at the maximum attainable concentration of 0.969 mg/l. (Toxicity Category III) Exposure to very high concentrations in the air resulted in breathing difficulties, decreased activity and some changes in the tissues of the respiratory system.

Skin Sensitization: Based on an evaluation of the ingredients and/or similar products, this product is not expected to cause allergic skin reactions.

TOXICITY OF FLUMIOXAZIN TECHNICAL

SUBCHRONIC: Compound related effects of Flumioxazin Technical noted in rats following subchronic exposures at high dose levels were hematotoxicity including anemia, and increases in liver, spleen, heart, kidney and thyroid weights. In dogs, the effects produced at high dose levels included a slight prolongation in activated partial thromboplastin time, increased cholesterol and phospholipid, elevated alkaline phosphatase, increased liver weights and histological changes in the liver. The lowest no-observable-effect-level (NOEL) in subchronic studies was 30 ppm in the three-month toxicity study in rats.

CHRONIC/CARCINOGENICITY: In a one year dog feeding study, Flumioxazin Technical produced treatment-related changes in blood chemistry and increased liver weights at 100 and 1000 mg/kg/day. Minimal treatment-related histological changes were noted in the livers of animals in the 1000 mg/kg/day group. Based on these data the NOEL is 10 mg/kg/day. Dietary administration of Flumioxazin Technical for 18 months produced liver changes in mice of the 3000 and 7000 ppm groups. There was no evidence of any treatment-related oncogenic effect. The NOEL for this study is 300 ppm. Dietary administration of Flumioxazin Technical for 24 months produced anemia and chronic nephropathy in rats of the 500 and 1000 ppm groups. The anemia lasted throughout the treatment period, however, it was not progressive nor aplastic in nature. No evidence of an oncogenic effect was observed. The NOEL for this study is 50 ppm.



Manufactured for:
Atticus, LLC
1204 Village Market Pl. #273
Morrisville, North Carolina 27560

DEVELOPMENTAL TOXICITY: Flumioxazin Technical produces developmental toxicity in rats in the absence of maternal toxicity at doses of 30 mg/kg/day by the oral route and 300 mg/kg/day by the dermal route. The developmental effects noted consisted primarily of decreased number of live fetuses and fetal weights, cardiovascular abnormalities, wavy ribs and decreased number of ossified sacrococcygeal vertebral bodies. The developmental NOEL in the rat oral and dermal developmental toxicity studies were 10 and 100 mg/kg/day, respectively. The response in rabbits was very different from that in rats. No developmental toxicity was noted in rabbits at doses up to 3000 mg/kg/day, a dose well above the maternal NOEL of 1000 mg/kg/day.

REPRODUCTION: Reproductive toxicity was observed in F1 males, P1 females and F1 females at 300 ppm Flumioxazin Technical, the highest dose tested and a dose that also produced signs of systemic toxicity. Toxicity was also observed in the F1 and F2 offspring at doses of 200 ppm and greater.

MUTAGENICITY: Flumioxazin Technical was not mutagenic in most *in vitro* assays: gene mutation and a chromosome aberration assay in the absence of metabolic activation. In three *in vivo* assays, chromosome aberration, unscheduled DNA synthesis and micronucleus assay, Flumioxazin Technical was not mutagenic. The only positive response was observed in the *in vitro* chromosome aberration assay in the presence of metabolic activation. Overall, Flumioxazin Technical does not present a genetic hazard.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 3. For information regarding regulations pertaining to this product, refer to Section 15.

12. ECOLOGICAL INFORMATION

AVIAN TOXICITY: Flumioxazin Technical is practically non-toxic to avian species. The following results were obtained from studies with Flumioxazin Technical:

- Oral LD₅₀ bobwhite quail: greater than 2250 mg/kg
- Dietary LC₅₀ bobwhite quail: greater than 5620 ppm
- Dietary LC₅₀ mallard duck: greater than 5620 ppm.

No reproductive effects were observed in bobwhite quail exposed to 500 ppm Flumioxazin Technical in the diet. In mallard ducks, a slight, but not statistically significant reduction in hatchlings and 14-day old survivors was observed. Based on a possible, slight effect on egg production at 500 ppm, the NOEL for this study was 250 ppm.

AQUATIC ORGANISM TOXICITY: Flumioxazin Technical is slightly to moderately toxic to freshwater fish; moderately toxic to freshwater invertebrates; moderately toxic to estuarine/marine fish and moderately to highly toxic estuarine/marine invertebrates, based on the following tests:

- 96-hour LC₅₀ rainbow trout: 2.3 mg/L
- 96-hour LC₅₀ bluegill sunfish: greater than 21 mg/L
- 48-hour LC₅₀ Daphnia magna: 5.5 mg/L
- 96-hour LC₅₀ sheepshead minnow: greater than 4.7 mg/L
- 96-hour (shell deposition) EC₅₀ eastern oyster: 2.8 mg/L
- 96-hour LC₅₀ mysid shrimp: 0.23 mg/L
- Fish early life-stage (rainbow trout): MATC >7.7 µg/L, <16 µg/L
- Chronic toxicity (mysid shrimp): MATC >15 µg/L, <27 µg/L

Chronic toxicity (Daphnia magna): MATC >52 µg/L, <99 µg/L.

OTHER NON-TARGET ORGANISM TOXICITY: Flumioxazin Technical is practically non-toxic to bees. The acute contact LC50 in bees was greater than 105 µg/bee.

13. DISPOSAL CONSIDERATIONS

END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

DISPOSAL METHODS: Check government regulations and local authorities for approved disposal of this material. Dispose in accordance with applicable laws and regulations.

14. TRANSPORT INFORMATION

DOT (GROUND) SHIPPING NAME: Compounds, weed killing, dry, non-regulated

DOT TECHNICAL SHIPPING NAME: Flumioxazin 51% Solid

DOT REPORTABLE QUANTITY (RQ): None

UN/NA NUMBER: Not applicable

HAZARD CLASS: Not applicable

REMARKS: None

EXEMPTION REQUIREMENT: None

15. REGULATORY INFORMATION

REGULATIONS UNDER FIFRA: All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

OTHER U.S. FEDERAL REGULATIONS:

CWA Section 311: No data

CHEMICAL NAME	SARA 313 Chemicals	SARA Section 302	CERCLA Reportable Quantity (RQ)
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione)* (103361-09-7)	Not listed	Not listed	None
Kaolin clay (1332-58-7)	Not listed	Not listed	None
Others ** (including particulates not otherwise classified) (No CAS#)	Not listed	Not listed	None

SARA (311, 312):

Immediate Health: Yes

Chronic Health: Yes

Fire: No

Sudden Pressure: No

Reactivity: No



Manufactured for:
Atticus, LLC
1204 Village Market Pl. #273
Morrisville, North Carolina 27560

STATE REGULATIONS: Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 2 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above.

CHEMICAL NAME	MI - Critical Materials List	MA - Right to Know	NJ - Right to Know
Kaolin clay (1332-58-7)		Present	

CHEMICAL NAME	PA - Right to Know	RI - Right to Know	MN - Hazardous Substance
Kaolin clay (1332-58-7)	Present	Toxic	Present (Includes inert or nuisance dust)

California Proposition 65: Not Listed

CANADIAN REGULATIONS

WHMIS HAZARD CLASS: Not Determined

For information regarding potential adverse health effects from exposure to this product, refer to Sections 3 and 11.

16. OTHER INFORMATION

EPA REGISTRATION NUMBER: 59639-120-91234

EFFECTIVE DATE: 01/14/2015

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products is regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling. All necessary and appropriate precautionary, use, and storage, and disposal information is set forth on that labeling. It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

The information in this MSDS is based on data available to us as of the revision date given herein, and believed to be correct. Contact Atticus, LLC to confirm if you have the most current MSDS.

Judgements as to the suitability of information herein for the individual's own use or purposes are necessarily the individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Atticus, LLC extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

© 2016 Atticus. Semera™ is a trademark of Atticus, LLC.



Manufactured for:
Atticus, LLC
 1204 Village Market Pl. #273
 Morrisville, North Carolina 27560