

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

1/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name CELSIUS® XTRA
Product code (UVP) 86714523
SDS Number 102000037938
EPA Registration No. 432-1614

Relevant identified uses of the substance or mixture and uses advised against

Use Herbicide

Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science
A division of Bayer CropScience LP
5000 Centregreen Way, Suite 400
Cary, NC 27513
USA

Responsible Department Email: SDSINFO.BCS-NA@bayer.com

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number 1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity(Inhalation): Category 4
Eye irritation: Category 2B

Labelling in accordance with regulation HCS 29CFR §1910.1200



Signal word: Warning

Hazard statements

Harmful if inhaled.

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

2/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

Causes eye irritation.

Precautionary statements

Avoid breathing mist/ vapours/ spray.

Use only outdoors or in a well-ventilated area.

Wash thoroughly after handling.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified.

No health hazards not otherwise classified.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Halosulfuron-Methyl	100784-20-1	10.0
Iodosulfuron-methyl-sodium	144550-36-7	0.93
Thiencarbazone-methyl	317815-83-1	4.29
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5	20.0

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice

When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.

Inhalation

Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.

Skin contact

Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.

Eye contact

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

3/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

Symptoms	To date no symptoms are known.
Indication of any immediate medical attention and special treatment needed	
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Water spray, Carbon dioxide (CO ₂), Foam, Dry chemical
Unsuitable	High volume water jet

Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
--	---

Advice for firefighters

Special protective equipment for firefighters	In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
--	--

Further information	Fight fire from upwind position. Keep out of smoke. Cool closed containers exposed to fire with water spray. Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	---

Flash point	No data available
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.
--------------------	--

Methods and materials for containment and cleaning up

Methods for cleaning up	Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.
--------------------------------	---

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

4/12

Revision Date: 05/20/2021
Print Date: 05/20/2021

Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal. Do not allow product to contact non-target plants.
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Handle and open container in a manner as to prevent spillage.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Iodosulfuron-methyl-sodium	144550-36-7	1 mg/m ³ (TWA)		OES BCS*
Thiencarbazone-methyl	317815-83-1	10 mg/m ³ (TWA)		OES BCS*

*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

5/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

Hand protection	Chemical-resistant gloves (barrier laminate, butyl rubber, nitrile rubber or Viton)
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Form	small rod
Colour	brown
Odour	musty
Odour Threshold	No data available
pH	5.5 - 6.5 (1 %) (23 °C) (deionized water)
Melting point/range	No data available
Boiling Point	No data available
Flash point	No data available
Flammability	No data available
Auto-ignition temperature	No data available
Thermal decomposition	No data available
Minimum ignition energy	No data available
Self-accelerating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapour pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	No data available
Bulk density	0.4 - 0.6 g/ml (loose)
Water solubility	No data available

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

6/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

Partition coefficient: n-octanol/water	Halosulfuron-methyl: log Pow: -0.02(pH 7) Iodosulfuron-methyl-sodium: log Pow: -0.7 Thiencarbazone-methyl: log Pow: -0.13
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive

SECTION 10: STABILITY AND REACTIVITY

Reactivity	Stable under normal conditions.
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight.
Incompatible materials	No incompatible materials known.
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin contact, Ingestion, Inhalation
Immediate Effects	
Eye	Causes eye irritation.
Skin	May cause slight irritation.

Information on toxicological effects

Acute oral toxicity	LD50 (female Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (male/female combined Rat) > 2.17 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. highest concentration tested
Acute dermal toxicity	Dermal toxicity was assessed based on the result of the oral toxicity study. Dermal toxicity study has been waived by competent regulatory

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

7/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

authority.

Skin corrosion/irritation Slight irritant effect - does not require labelling. (Rabbit)

Serious eye damage/eye irritation Mild eye irritation. (Rabbit)

Respiratory or skin sensitisation Skin: Non-sensitizing. (Mouse)
OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment STOT Specific target organ toxicity – single exposure

Iodosulfuron-methyl-sodium: Based on available data, the classification criteria are not met.
Thiencarbazone-methyl: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity – repeated exposure

Halosulfuron-methyl did not cause specific target organ toxicity in experimental animal studies.
Iodosulfuron-methyl-sodium did not cause specific target organ toxicity in experimental animal studies.
Thiencarbazone-methyl did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Halosulfuron-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Iodosulfuron-methyl-sodium was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Thiencarbazone-methyl was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Halosulfuron-methyl was not carcinogenic in lifetime feeding studies in rats and mice.
Iodosulfuron-methyl-sodium was not carcinogenic in lifetime feeding studies in rats and mice.
Thiencarbazone-methyl was not carcinogenic in a lifetime feeding study in rats. Thiencarbazone-methyl caused at high dose levels an increased incidence of tumours in mice in the following organ(s): urinary bladder. The tumours seen with Thiencarbazone-methyl were caused through the chronic irritation due to the presence of bladder stones.

ACGIH

None.

NTP

None.

IARC

None.

OSHA

None.

Assessment toxicity to reproduction

Halosulfuron-methyl did not cause reproductive toxicity in a two-generation study in rats.
Iodosulfuron-methyl-sodium did not cause reproductive toxicity in a two-generation study in rats.
Thiencarbazone-methyl did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Halosulfuron-methyl caused developmental toxicity only at dose levels toxic to the dams. Halosulfuron-methyl caused an increased incidence of non-specific malformations.

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

8/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

Iodosulfuron-methyl-sodium did not cause developmental toxicity in rats and rabbits.
Thiencarbazon-methyl did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish

LC50 (*Oncorhynchus mykiss* (rainbow trout)) > 100 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.

LC50 (*Oncorhynchus mykiss* (rainbow trout)) > 104 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient thiencarbazon-methyl.

Toxicity to aquatic invertebrates

EC50 (*Daphnia magna* (Water flea)) > 100 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.

EC50 (*Daphnia magna* (Water flea)) > 98.6 mg/l
Exposure time: 48 h
The value mentioned relates to the active ingredient thiencarbazon-methyl.

Toxicity to aquatic plants

IC50 (*Raphidocelis subcapitata* (freshwater green alga)) 0.152 mg/l
Growth rate; Exposure time: 96 h
The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.

EC50 (*Lemna gibba* (gibbous duckweed)) 0.00081 mg/l
Exposure time: 14 d
The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.

NOEC (*Lemna gibba* (gibbous duckweed)) 0.0004 mg/l
Exposure time: 14 d
The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.

IC50 (*Raphidocelis subcapitata* (freshwater green alga)) 1.017 mg/l
Growth rate; Exposure time: 72 h

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

9/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

	<p>The value mentioned relates to the active ingredient thien carbazone-methyl.</p> <p>IC50 (Lemna gibba (gibbous duckweed)) 0.00131 mg/l Growth rate; Exposure time: 7 d The value mentioned relates to the active ingredient thien carbazone-methyl.</p>
Toxicity to bacteria	<p>EC50 (Pseudomonas putida) > 1,000 mg/l Exposure time: 3 h The value mentioned relates to the active ingredient iodosulfuron-methyl-sodium.</p>
Biodegradability	<p>Halosulfuron-methyl: Not rapidly biodegradable Iodosulfuron-methyl-sodium: Not rapidly biodegradable Thien carbazone-methyl: Not rapidly biodegradable</p>
Koc	<p>Halosulfuron-methyl: Koc: 113 Iodosulfuron-methyl-sodium: Koc: 45 Thien carbazone-methyl: Koc: 100</p>
Bioaccumulation	<p>Halosulfuron-methyl: Does not bioaccumulate. Iodosulfuron-methyl-sodium: Does not bioaccumulate. Thien carbazone-methyl: Does not bioaccumulate.</p>
Mobility in soil	<p>Halosulfuron-methyl: Moderately mobile in soils Iodosulfuron-methyl-sodium: Mobile in soils Thien carbazone-methyl: Moderately mobile in soils</p>
Results of PBT and vPvB assessment	
PBT and vPvB assessment	<p>Halosulfuron-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Iodosulfuron-methyl-sodium: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB). Thien carbazone-methyl: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).</p>
Environmental precautions	<p>Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.</p>

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

10/12

Revision Date: 05/20/2021
Print Date: 05/20/2021

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations.
Contaminated packaging	Consult state and local regulations regarding the proper disposal of container. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM, THIENCARBAZONE-METHYL MIXTURE)
IATA	
UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IODOSULFURON-METHYL-SODIUM, THIENCARBAZONE-METHYL MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: COMPOUNDS, TREE OR WEED KILLING, N.O.I. other than poison, HAVING A DENSITY OF 20 LBS OR GREATER PER CUBIC FOOT

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

11/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1614

US Federal Regulations

TSCA list

Kaolin	1332-58-7
Lignosulfonic acid, sodium salt, sulfomethylated	68512-34-5
Citric acid	77-92-9
Polyvinylpyrrolidone	9003-39-8
Sodium butyl-naphthalenesulphonate	25638-17-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

No export notification needs to be made.

SARA Title III - Section 302 - Notification and Information

Not applicable.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting

CA Prop65

WARNING: This product contains a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Crystalline quartz (respirable)	14808-60-7
---------------------------------	------------

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Kaolin	1332-58-7	MN, RI
Synthetic amorphous silica	112926-00-8	CA, CT, MN
Polyvinylpyrrolidone	9003-39-8	CA

Environmental

CERCLA

None.

Clean Water Section 307(a)(1)

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

SAFETY DATA SHEET



CELSIUS® XTRA

Version 2.0 / USA
102000037938

12/12
Revision Date: 05/20/2021
Print Date: 05/20/2021

Signal word: Caution!

Hazard statements: Harmful if swallowed.
Harmful if absorbed through skin.
Causes moderate eye irritation.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 3: Composition / Information on Ingredients. Section 15: Regulatory information. Reviewed and updated for general editorial purposes.

Revision Date: 05/20/2021

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.