

CLICK HERE TO JUMP TO USE DIRECTIONS



# TRIMEC® ENCORE® BROADLEAF HERBICIDE

USE THIS PRODUCT ONLY IN ACCORDANCE  
WITH ITS LABELING AND WITH THE  
WORKER PROTECTION STANDARD 40 CFR PART 170.

Controls Dandelion, Chickweed, Knotweed, Plantain,  
Henbit, Spurge and many other broadleaf weeds.

### ACTIVE INGREDIENTS:

MCPA, dimethylamine salt	38.68%
MCPP-p, dimethylamine salt	8.16%
Dicamba, dimethylamine salt	3.81%

INERT INGREDIENTS: 49.35%

TOTAL 100.00%

### THIS PRODUCT CONTAINS:

2.97 lbs. 2-methyl-4-chlorophenoxyacetic acid equivalent per gallon or 31.59%.  
 0.63 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per gallon or 6.74%.  
 0.29 lbs. 3,6-dichloro-o-anisic acid equivalent per gallon or 3.16%.



TRIMEC® and ENCORE® are registered trademarks of PBI/GORDON CORPORATION.

## KEEP OUT OF REACH OF CHILDREN DANGER-PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

KEEP FROM FREEZING



READ THE ENTIRE LABEL FIRST.  
OBSERVE ALL PRECAUTIONS AND  
FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS & DOMESTIC ANIMALS

**DANGER:** Corrosive. Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### Personal Protective Equipment (PPE)

Some materials that are chemical-resistant to this product are barrier laminates. If you want more options, follow the instructions for Category A on an EPA chemical-resistance category selection chart.

#### Mixers, loaders, applicators, and other handlers must wear:

- Long-sleeved shirt and long pants.
- Chemical-resistant gloves such as barrier laminate when mixing, loading, or using any hand-held equipment.
- Shoes plus socks.
- Protective eyewear (goggles, face shield, or safety glasses).

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### FIRST AID

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin:</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-877-800-5556 for emergency medical treatment advice.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170.

This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains

(cont. on next page)

## AGRICULTURAL USE REQUIREMENTS (cont.)

specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 48 hours.

For early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear: • Coveralls worn over short-sleeve shirt and short pants • Chemical resistant footwear plus socks • Chemical-resistant gloves made of any waterproof material • Chemical-resistant headgear for overhead exposure • Protective eyewear.

## NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

**Reentry Statement:** Do not reenter or permit workers to reenter treated area until sprays have dried.

## GENERAL INFORMATION

Trimec® Encore® Broadleaf Herbicide provides selective broadleaf control in warm season and cool season turfgrass. Established turf of warm season grasses include, but are not limited to, bermudagrass, bahiagrass, and zoysiagrass. Established turf of cool season grasses include, but are not limited to, Kentucky bluegrass, perennial ryegrass, tall fescue, and turf-type tall fescues. Do not apply this product on carpetgrass, dichondra, or established turf containing desirable clovers.

### USE PRECAUTIONS – OBSERVE CAREFULLY

1. Avoid drift of spray mist onto vegetables, flowers, ornamental plants, shrubs, trees and other desirable plants.
2. Do not pour spray solutions near these plants.
3. Do not spray on carpetgrass, dichondra nor on lawns or turf where desirable clovers are present.
4. Use only lawn type sprayers.
5. NOTE: Coarse sprays are less likely to drift.
6. Avoid application to exposed active feeder roots of shallow rooted trees such as poplar species and sensitive ornamentals. Do not exceed specified dosages for any area. Be particularly careful within the dripline of trees and other ornamental species.
7. Do not spray bermudagrass or zoysiagrass while emerging from dormancy, unless injury can be tolerated.
8. Applications to newly seeded lawns may cause injury. Delay application until well established or after two or three mowings.
9. Do not broadcast apply when air temperatures exceed 85°F; some injury may be expected with spot treatments when air temperatures exceed 85°F.
10. Seed can be sown 3 to 4 weeks after application.
11. Do not contaminate domestic or irrigation waters.
12. Some injury can be expected to turf when used on centipedegrass or St. Augustinegrass; only spot spray weeds on these types of grasses. Clover will be damaged if sprayed.
13. After using this product, clean sprayer with soap or detergent and water, and rinse thoroughly before applying other pesticides.
14. Failure to observe the above precautions may result in injury to desirable plants.
15. Do not apply this product through any type of irrigation system.

**ORNAMENTAL LAWNS, ORNAMENTAL TURFGRASS, GOLF COURSES AND SOD FARMS – As Broadcast Treatments:** Apply 3.0 to 4.0 pints of product per acre per application with spray volumes of 20 to 240 gallons per acre. Maximum control of weeds will be obtained from spring or early fall applications when weeds are actively growing. Avoid applying during long excessively dry or hot periods unless adequate irrigation is available. Do not apply to newly seeded turf until well-established or after the second or third mowing. Grass seed can be sown 3 to 4 weeks after application at the recommended rates.

Do not apply more than 1.5 lb. MCPA acid equivalent per acre per year or 4 pints of product per acre per year.

Do not make more than 2 applications per year with a minimum retreatment interval of 21 days.

**BENTGRASS TURF:** In closely mowed bentgrass (putting and bowling greens) apply at a maximum rate of 1 fluid ounce of product per 1,500 square feet, preferably in May or mid-August through September. Slight turf yellowing will disappear after about one week.

**NOTE:** Care should be taken to avoid overdosing bentgrass or injury may result. High spray volumes (i.e. 1 fluid ounce of product in 5 gallons of water per 1,500 square feet) will aid in obtaining uniform coverage. If hand type operated sprayers are used, it is preferable to use a single nozzle sprayer rather than a multiple nozzle boom. Sweeping movements with a multiple nozzle boom will result in heavy local over-application and subsequent turf discoloration or injury.

### SPRAY DRIFT MANAGEMENT

Avoiding spray drift at the application site is the responsibility of the applicator. The interaction of many equipment- and weather-related factors determine the potential for spray drift. The applicator and the grower are responsible for considering all these factors when making decisions.

Apply only as a medium or coarser spray (ASAE standard 572) or a volume mean diameter of 300 microns or greater for spinning atomizer nozzles.

Apply only when the wind speed is 2-10 mph at the application site.

**Additional requirements for ground boom application:** Do not apply with a nozzle height greater than 4 feet above the crop canopy (turfgrass).

## BROADLEAF WEEDS CONTROLLED

Aster, white heath & white prairie	Field oxeye-daisy (*creeping oxeye)	Purslane
Bedstraw	Filaree, whitestem	Ragweed
Beggarweed, creeping	& redstem	Red sorrel
Bindweed	Florida pusley	(*sheep sorrel)
Black medic	Ground ivy	Shepherdspurse
Broadleaf plantain	Groundsel	Spotted spurge
Buckhorn plantain	Hawkweed	Spurge
Bull thistle	Healall	Sunflower
Burclover	Henbit	Thistle
Burdock, common	Lambsquarters	Velvetleaf
Buttercup, creeping	Lawn burweed	(*pie marker, Indian mallow)
Carpetweed	Lespedeza, common	<i>Veronica</i>
Chickweed, common	Mallow, common	(*corn speedwell)
Chicory	Matchweed	Virginia buttonweed
Cinquefoil	Mouseear chickweed	White clover
Clover	<i>Oxalis</i>	(*Dutch clover, honeysuckle clover, white trefoil & purplewort)
Compassplant	(*yellow woodsorrel & creeping woodsorrel)	Wild carrot
Curly dock	Parsley-piert	Wild garlic
Dandelion	Pennsylvania smartweed	Wild geranium
Dayflower	Pennywort (*dollarweed)	Wild mustard
Deadnettle	Pepperweed	Wild onion
Dock	Pigweed	Wild strawberry
Dogfennel	Pineappleweed	Yarrow
English daisy	Plantain	Yellow rocket
False dandelion	Poison ivy	
(*spotted catsear & common catsear)	Poison oak	
Field bindweed	Prostrate knotweed	
(*morningglory & creeping jenny)	(*knotweed)	
	Puncturevine	

\*Synonyms

## STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a locked storage area inaccessible to children or pets. Keep from freezing. To prevent cross-contamination, do not store near herbicides, fertilizers, insecticides, fungicides, or seeds.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Do not reuse or refill this container. Offer for recycling if available.

**Container cleaning:** Triple rinse or pressure rinse container (or equivalent) promptly after emptying.

(cont. on next page)

## STORAGE AND DISPOSAL (cont.)

**Triple rinse as follows:** Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

**OR**

**Pressure rinse as follows:** Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

## LIMITED WARRANTY AND DISCLAIMER

**IMPORTANT:** Read this Limited Warranty and Disclaimer before buying or using this product. By opening and using this product, buyer and all users agree to accept the terms of this Limited Warranty and Disclaimer in their entirety and without exception. If the terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full.

It is impossible to eliminate all risks inherently associated with use of this product. Damage to the treated article, ineffectiveness, or other unintended consequences can result from use of the product under abnormal conditions such as weather, presence of other materials, or the manner of use or application, etc. Such factors and conditions are beyond the control of the manufacturer, and BY PURCHASING AND USING THIS PRODUCT THE BUYER AND ALL USERS OF THIS PRODUCT AGREE TO ACCEPT ALL SUCH RISKS. Buyer and all users further agree to assume all risks of loss or damage from the use of the product in any manner that is not explicitly set forth in or that is inconsistent with label instructions, warnings and cautions.

The manufacturer warrants only that this product conforms to the chemical description given on the label, and that the product is reasonably suited for the labeled use when applied according to the Directions for Use, subject to the inherent risks described below. THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY OTHER EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF BUYER AND ALL USERS OF THIS PRODUCT, AND THE EXCLUSIVE LIABILITY OF THE MANUFACTURER, FOR ANY AND ALL LOSSES, DAMAGES, OR INJURIES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER OR NOT BASED IN CONTRACT, NEGLIGENCE, STRICT LIABILITY IN TORT OR OTHERWISE, SHALL BE LIMITED, AT THE MANUFACTURER'S OPTION, TO REPLACEMENT OF OR THE REPAYMENT OF THE PURCHASE PRICE FOR THE QUANTITY OF PRODUCT WITH RESPECT TO WHICH DAMAGES ARE CLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. The Manufacturer must be promptly notified in writing of any claims, whether based in contract, tort, negligence, strict liability, or otherwise, to be eligible to receive either remedy stated above.

The terms of this Limited Warranty and Disclaimer cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere. No employee or agent of the manufacturer or seller is authorized to vary or exceed the terms of this Limited Warranty and Disclaimer in any manner.

773/9-2008 AP102307  
EPA REG. NO. 2217-773



MANUFACTURED BY  
PBI/GORDON CORPORATION  
1217 WEST 12TH STREET  
KANSAS CITY, MISSOURI 64101  
[www.pbigordon.com](http://www.pbigordon.com)