



ZINC SULFATE GRANULAR

FOR USE IN CORRECTING ZINC DEFICIENCIES WHICH CAUSES DEFORMITY OF FRUIT AND ROSETTE ON PECANS, "WHITE BUD" ON CORN, LITTLE LEAF OF PEACH AND GRAPE, AND "DIE BACK" ON CITRUS.

GUARANTEED ANALYSIS:
Soluble Zinc (Zn).....31.0%
Derived from: Zinc Sulfate

GUARANTEED BY: F672
Southern Agricultural Insecticides, Inc.
P.O. Box 218 Palmetto, FL 34220



DIRECTIONS FOR USE

PECANS: Broadcast from the trunk to the dripline. For trees up to 7 inches in diameter, apply 1 3/4 lbs. per inch of diameter. For trees over 7 inches in diameter, apply 3 1/2 lbs. per inch of diameter. Product should be worked into soil to prevent washing away.

CORN: To correct "white bud" of corn caused by Zinc deficiency, apply 1/2 lb. per 1,000 sq. ft. (20 lb. per acre).

PEACH & GRAPE: To correct "little leaf" caused by Zinc deficiency, apply 1/2 lb. per 1,000 sq. ft. (20 lb. per acre).

CITRUS: To correct "die back" caused by Zinc deficiency, apply 1/4 cup per tree on small trees, 1/2 cup per tree on medium sized trees, and 1 cup per tree on mature citrus trees.

ORNAMENTALS AND OTHER FRUITS OR VEGETABLES: To correct Zinc deficiency, apply 1/4 lb. (1/2 cup) per 1,000 sq. ft. (10 lb. per acre).

NOTE: THIS PRODUCT SHOULD NOT BE USED ON CONTAINER GROWN PLANTS.
WASH EQUIPMENT AFTER USE.

KEEP OUT OF REACH OF CHILDREN

CAUTION

May be harmful if swallowed.

Avoid contact with eyes, skin or clothing.

Wash thoroughly after use.

Avoid breathing dust.



Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607

J1

Net Weight: 5 lbs. (2.27 kg.)